


## Aluminum Bottom Outdoor Fixed LED Display P5.7 High Performance Innovative Circuit Design

Our Product Introduction

for more products please visit us on [googolled.com](http://googolled.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Googol
- Certification: CE,FAD,ROHS
- Model Number: P5.7



### Product Specification

- Pixel Pitch: P5.7
- Viewing Angle: 140°/140°
- Operating Temperature: -20°C~+50°C
- Brightness Adjustment: 0-100 Levels Adjustable
- Viewing Angle (H/V): 140°/140°
- Pixel Density: 30625dot/m2
- Refresh Frequency: ≥3840HZ
- Highlight: **Bottom Outdoor Fixed LED Display,  
Aluminum Outdoor Fixed LED Display,  
P5.7 Fixed LED Display**



### More Images



## Product Description

### Outdoor Fixed LED Display Energy Conservation Front and Back Maintenance

The display type of this product is Outdoor Fixed LED Display, which means it is specifically designed for outdoor use and can withstand various weather conditions. It is suitable for a wide range of applications such as outdoor advertisement. Outdoor front maintenance of the full-color display screen Unit box size: 960mm \* 960mm \* 95mm Line design, simple appearance Back pattern layout, strong sense of hierarchy.

#### Applications:

- Outdoor advertising
- Sports events
- Concerts
- Exhibition Hall



#### Product Features:

- High safety-all-aluminum bottom shell, high ignition point, high fire rating, TUV mechanism 5VB fire test certification; special design waterproof rubber ring, multi-layer waterproof design, protection grade of IP65
- High stability-all-aluminum material, high design design, high heat dissipation efficiency; partial pressure power supply design, low heat, long service life; hard connection design, high stability
- High performance-innovative circuit design, high brightness efficiency, can achieve ten thousand levels of brightness display
- High convenience-full front maintenance design and full back maintenance design, easy installation, save installation space; thin design, weight to 30 KG / m<sup>2</sup>, thickness to 77mm
- High contrast-innovative design mask, brim height of 2.5mm, improve contrast; mask with high accuracy.

#### Key Parameters

Part Number	P5.7	Part Number	P5.7
Pixel Pitch	5.7mm	Display Scale	16.7M
LED Configuration	SMD2727	Brightness Adjustment	0-100 levels adjustable
Pixel Density	30625dot/m <sup>2</sup>	Max.Power Consumption	650W/m <sup>2</sup>
Module size	480*320mm	Ave.Power Consumption	220W/m <sup>2</sup>
Module Resolution	84*56 dot	Drive Mode	1/7S
Cabinet Size	960*960*77mm	Refresh Frequency	≥3840HZ
Cabinet Resolution	168*168dot	Environmental	OUTDOOR
Cabinet Weight	25kg	Operation Power	AC100~240 50/60HZ
IP Rating ( front/back)	IP65	Operating Temperature	-20°C~+50°C

Brightness Intensity	>6500 CD/m2	Operating Humidity	10~95% RH
Viewing Angle (H/V)	140°/140°	Operating Life	100,000hours
View Distance	>7m	Gray Scale	14bit



**Shenzhen Googol Display Technology Co., Ltd**



+8615766165492



jimmy.wenmy@gmail.com



googolled.com

2nd Floor, Building A, Area 1, Ganghuaxing Industrial Park, No. 2 Chongqing Road, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen