## Curved Outdoor Rental Big LED Full HD Display P6.66 Aluminum Bottom **Front And Back Maintenance**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Shenzhen, China Googol
- CE,FAD,ROHS
- P6.66



## **Product Specification**

- LED Configuration SMD2727:
- Operating Humidity:
- Drive Mode:
- Operating Life:
- Operation Power:
- View Distance:
- Highlight:

# SMD2727

10~95% RH

- - 1/7S
    - 100,000hours
    - AC100~240 50/60HZ
    - >7m
    - LED Full HD Display, Full HD Display P6.66, Rental fhd display



### More Images



#### **Product Description**

Maintenance

#### Curved Outdoor Fixed Big LED Full HD Display P6.66 Aluminum Bottom Front and Back

The display type of this product is Outdoor Fixed LED Display, which means it is specifically designed for outdoor use and can withstand various weather conditions. Its all-weather durability and energy efficient design make it an ideal choice for permanent outdoor installations. This type of curved LED screen is suitable for shopping hall or other spaces which need a curved screen.

Applications: advertising, sport events, shopping hall

#### **Product Features:**

•High safety-all-aluminum bottom shell, high ignition point, high fire rating, TUV mechanism 5VB fire test certification; special design waterproof rubber ring, multi-layer waterproof design, protection grade of IP65

- High stability-all-aluminum material, high design design, high heat dissipation efficiency; partial pressure power supply
  design law best lang agrice life bard appreciate design, high stability
- design, low heat, long service life; hard connection design, high stability
- High performance-innovative circuit design, high brightness efficiency, can achieve ten thousand levels of brightness display
- High convenience-full front maintenance design and full back maintenance design, easy installation, save installation space; thin design, weight to 30 KG / m<sup>2</sup>, thickness to 77mm
  - High contrast-innovative design mask, brim height of 2.5mm, improve contrast; mask with high accuracy.

#### **Key Parameters**

Part Number	P6.66	Part Number	P6.66
Pixel Pitch	6.66mm	Display Scale	16.7M
LED Configuration	SMD2727	Brightness Adjustment	0-100 levels adjustable
Pixel Density	22500dot/m2	Max.Power Consumption	680W/mੈ
Module size	480*320mm	Ave.Power Consumption	240W/m <sup>2</sup>
Module Resolution	72*48 dot	Drive Mode	1/6S
Cabinet Size	960*960*77mm	Refresh Frequency	≥3840HZ
Cabinet Resolution	144*144dot	Environmental	OUTDOOR
Cabinet Weight	25kg	Operation Power	AC100~240 50/60HZ
IP Rating ( front/back)	IP65	Operating Temperature	-20°C~+50°C

Brightness Intensity	>6500 CD/m2	Operating Humidity	10~95% RH
Viewing Angle (H/V)	140°/140°	Operating Life	100,000hours
View Distance	>8m	Gray Scale	14bit









Shenzhen Googol Display Technology Co., Ltd					
+8615766165492 jimmy.wenmy@gmail.com					
2nd Floor, Building A, Area 1, Ganghuaxing Industrial Park, No. 2 Chongqing Road, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen					