


# P3.076 Fixed Outdoor LED Display Screen With High Refresh Frequency And IC Chip Design

## **Basic Information**

Place of Origin: ShenzhenBrand Name: Googol

Certification:
CE, FAD, ROHS,

Model Number: P3.076




## **Product Specification**

Pixel Pitch: 3.076mm
Module Weight: ≤460g
Refresh Frequency: ≥1920Hz
Drive Mode: 1/13S
Decoding Mode: D5958SSP
Luminance: ≥6500cd/m³

Highlight: P3.076 Outdoor LED Display Screen,
Fixed Outdoor LED Display Screen,

3.076mm outdoor display led



# More Images



## **Product Description**

### Outdoor Fixed LED Display with High Refresh Frequency and IC Chip Design p3.076

This outdoor Fixed LED display product has excellent heat dissipation performance, and it can be maintained in the front and back as well. Its all-weather durability and energy efficient design make it an ideal choice for permanent outdoor installations. The display type of this product is Outdoor Fixed LED Display, which means it is specifically designed for outdoor use and can withstand various weather conditions. It is suitable for a wide range of applications, including outdoor advertising, sports events, concerts, and Media Fixed Advertising Screens.

#### Applications:


- Outdoor Highway Toll Gate
- Outdoor Advertising Machines
- Media Fixed Advertising Screens


#### **Product Features:**

- D-PH3.076 adopts outdoor self designed full color module. It's PCB borad adopts four layers design to make a better proforamnce in IC chip to achieve good heat emission.
- LED lamp beads using Nation Star 1415 pakage, white balance brightness ≥ 6500 nit.
- The driver IC adopts ICND2038S, and the visual refresh frequency is above ≥ 1920HZ.
- Module size 320 \* 160mm, unique design, compared with the market routine, the flatness is better...
- The module size is 320 \* 160MM, compatible with market 640mm \* 640mm, 960\* 960MM standard box

#### **Key Parameters:**


Part Number	P3.076	Part Number	P3.076
Pixel Pitch	3.076mm	Module Weight	≤460g
LED Configuration	SMD 1415	Decoding Mode	D5958SSP
Pixel Density	105656dot/m2	Input Voltage(DC)	5V
Module Size	320*160mm	Module Max. Current(Ampere)	≤10A
Pixel Arrangement	104*52	Module Max. Power Consumption	≤50W
Drive Mode	1/13S	Operating Temperature	-20°C∼+80°C
Luminance	≥6500cd/m²	Operating Humidity	30%~85%RH
Driver Chip	ICND2038S	Viewing Angle (H/V)	140°(±10°)
Refresh Frequency	≥1920Hz	Viewing Angle (V/V)	120°(±10°)











In conclusion, our Outdoor Fixed LED Display is a highly versatile product that can be used in various applications and scenarios. With its high brightness, energy-saving properties, and customizable design, it is the perfect solution for your advertising needs. Contact us today to get a quote and take your brand visibility to the next level!

#### Packing and Shipping:

Outdoor Fixed LED Display Packaging and Shipping

Our Outdoor Fixed LED Display is carefully packaged to ensure safe delivery to our customers. Packaging.

The display panels are first wrapped in protective foam and then placed in a sturdy wooden crate. The edges of the crate are reinforced with metal corners for added protection during transportation.

Each crate is labeled with the product name, dimensions, and weight for easy identification and handling. Shipping

We offer both air and sea shipping options for our customers, depending on their location and preference.

For air shipping, we use reliable and well-known carriers to ensure timely and safe delivery. The display panels are carefully loaded into airtight crates and secured with straps to prevent any movement during transit.

For sea shipping, we use specialized containers specifically designed for transportation of delicate electronic equipment. The containers are equipped with shock absorbers and temperature control to protect the display panels from any damage.

Our team carefully monitors the shipping process to ensure that the products arrive at their destination in perfect condition.

Upon arrival, our customers can choose to have the display panels professionally installed by our team or they can opt for self-installation with our detailed installation guide.

With our careful packaging and reliable shipping options, you can trust that your Outdoor Fixed LED Display will arrive safely and ready to impress.

#### Services:

- 1. Your inquiry related to our products or price will be replied in 12hrs.
- 2. OEM&ODM, any your customized lightings we can help you to design and put into product.
- 3. Distributoership are offered for your unique design and some our current models.
- 4. Protection of your sales area, ideas of design and all your private information.

5. Best cost performance and perfect service before and after sales.

# Shenzhen Googol Display Technology Co., Ltd

+8615766165492

jimmy.wenmy@gmail.com

om

@ googolled.com

2nd Floor, Building A, Area 1, Ganghuaxing Industrial Park, No. 2 Chongqing Road, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen