Circle LED Display Anti Glare Design Seamless Splicing Customized Special Shaped

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Shenzhen, China
- Googol
- CE, FAD, ROHS p2



Product Specification

- Pixel Pitch:
- Gary Scale:
- LED Configuration:
- Communicarion:
- Input Voltage(AC):
- Pixel Density:
- Highlight:

P2

| 1 | 4 | Bit |
|---|---|-----|

SMD 1515

- Synchronous/ Asynchronous
- 110~240V, 50~60Hz
- 250000dot/m2
- Anti Glare circle led display, SMD 1515 circle led display, P2 circular led display



More Images



Our Product Introduction



Circle Shaped Anti-glare Design Seamless Splicing Customized Special-shaped LED Display

Product introduction: Compared with the traditional display screen, circle LED Display's biggest feature is that it can better adapt to the overall structure of the building and the environment, and the size of the screen body can be customized according to the requirements.

Product features: 1, Anti-glare design Seamless splicing

2, Buckle type cable plug

3, High refresh frequency

4, Intelligent playback



Applications: 1, Virtual Reality exprience room
2, Outdoor light box
3, Brand Logo
4, Bar or KTV interact LED display
5, Outdoor advertising screen
6, Rental stage screen.



Key paremeters:

| Part Number | P2 | Part Number | P2 | |
|----------------------|--------------|------------------------------|------------------------------|--|
| Pixel Pitch | 2mm | Gray Scale | 14bit | |
| LED Configuration | SMD 1515 | Communicarion | Synchronous/ Asynchronous | |
| Pixel Density | 250000dot/m2 | Input Voltage(AC) | 110~240V, 50~60Hz | |
| Module Size | 256*256mm | Average Power Consumption | 80W/m ² | |
| Pixel Arrangement | 256*256 | Max Power Consumption | 200W/mੈ | |
| Cabinet Weight 5.2kg | | Operating Temperature | -20°C~+50°C | |
| | | | | |

| Luminance | ≥800cd/㎡ | Operating Humidity | 10%~90%RH |
|-------------------|----------|---------------------|------------|
| Powersize | 5V 40A | Viewing Angle (H/V) | 140°(±10°) |
| Refresh Frequency | ≥3840Hz | Viewing Angle (V/V) | 140°(±10°) |
| Cabinet Size | 512*65mm | Option Distance | ≥4m |

| | Shenzher | Googol Display Technol | logy Co., Ltd |
|--------------------|----------------|---|----------------------------------|
| G | +8615766165492 | jimmy.wenmy@gmail.com | e googolled.com |
| 2nd Floor, Buildin | | ng Industrial Park, No. 2 Chongqing eet, Bao'an District, Shenzhen | g Road, Qiaotou Community, Fuhai |