


## Sphere Shaped 360 Degree Viewing Angle Spherical LED Display For Outdoor Advertising

Our Product Introduction

for more products please visit us on [googolled.com](http://googolled.com)


### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Googol
- Certification: CE, FAD, ROHS
- Model Number: p2



### Product Specification

- Pixel Pitch: P3.25
- Gary Scale: 14 Bit
- LED Configuration: SMD 1515
- Color Temperature: 6000~6500k
- Sphere Diameter: 0.3m
- Sphere Surface Area: 0.283m<sup>2</sup>
- Highlight: **P3.25 spherical led display, 6500k spherical led display, 6000K sphere led screen**



### More Images




## Product Description


### Sphere Shaped 360 Degree Viewing Angle Customized Special-shaped LED Display for Outdoor

#### Advertising

**Product introduction:** LED spherical display screen breaks through the conventional display screen design ideas, novel and unique shape to achieve 360° viewing angle. It integrates the technology of gourd and ladle spherical structure, special-shaped pcB board design, pixel uniform extraction and display control, etc. Dynamic and visual impact of the display effect, as a new media carrier. Can be applied in demonstration halls, theme parks, commercial complexes, airports, business halls, exhibitions, stages and other places are the most influential focus of the above places.



**Product features:** 1, Anti-glare design Seamless splicing  
2, Buckle type cable plug  
3, High refresh frequency  
4, Intelligent playback



**Applications:** 1, Virtual Reality experience room  
2, Outdoor light box  
3, Brand Logo  
4, Bar or KTV interact LED display  
5, Outdoor advertising screen  
6, Rental stage screen.





**Key paremeters:**

Part Number	P2	Part Number	P2
Pixel Pitch	2mm	Gray Scale	14bit
LED Configuration	SMD 1515	Communicarion	Synchronous/ Asynchronous
Pixel Density	250000dot/m2	Input Voltage(AC)	110~240V, 50~60Hz
Module Size	256*256mm	Average Power Consumption	80W/m <sup>2</sup>
Pixel Arrangement	256*256	Max Power Consumption	200W/m <sup>2</sup>
Cabinet Weight	5.2kg	Operating Temperature	-20°C~+50°C

Luminance	≥800cd/m <sup>2</sup>	Operating Humidity	10%~90%RH
Powersize	5V 40A	Viewing Angle (H/V)	140°(±10°)
Refresh Frequency	≥3840Hz	Viewing Angle (V/V)	140°(±10°)
Cabinet Size	512*65mm	Option Distance	≥4m



**Shenzhen Googol Display Technology Co., Ltd**



+8615766165492



jimmy.wenmy@gmail.com



googolled.com

2nd Floor, Building A, Area 1, Ganghuaxing Industrial Park, No. 2 Chongqing Road, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen