## 2.5mm Pixel Pitch Indoor Fixed LED Display Indoor Advertising LED Display P2 SMD2020

### **Basic Information**

- Place of Origin:
- Brand Name:

P2.5

- Certification:
- Model Number:
- Shenzhen, China Googol CE, FAD, ROHS

Our Product Introduction

# • Pixel Pitch:

- LED:
- Size:
- 320\*160\*14.2mm
- Weight:
- Structural Feature:
- Unit Plate Resolution:

**Product Specification** 

• Highlight:

- 2.5mm
- SMD2020
- 0.37kg±0.01kg
- **Flexible Connection**
- 128\*64
- 2.5mm Indoor Fixed LED Display, P2 Indoor Fixed LED Display, SMD2020 indoor led display



#### **Product Description**

#### 1 Product Advantages:

- High refresh rate, no ghosting
  High gray scale
  Wide viewing angle, no color block
  Excellent display

- 5. Supports calibration technology6. Hard Connection Design, Wireless Splicing

# 2 Application Scenarios: 1 Cinema 2 Shopping Mall

- 3 Store
- 4 Brand Outlet 5 Subway Station

#### 3 Key Parameters :

Part Number	P2.5	Part Number	P2.5
Pixel Pitch	2.5mm	LED	SMD2020
Size	320*160*14.2mm	Weight	0.37kg±0.01kg
Structural Feature	Flexible Connection	Unit Plate Resolution	128*64
Input Voltage	DC 4.2~5V	Max. Current	≤4A
Signal Input Interface	HUB75	Refresh Rate	3840Hz
Unit Plate Power	≤18W	Drive Mode	Constant Current Driving
Luminance	≥500cd/m <sup>2</sup>	Uniformity of Luminance	>0.95
H/V	160°±10°	V/V	140°±10°
Lifespan	10,000h	Mean Free Error Time	≥5000h
Attenuation Rate	≤10%	Continuous Runaway Point	0
Optimum Viewing Distance	≥7.5m	Environment	Indoor

**Our Product Introduction** 

Discrete Runaway Point	<30PPM	Blind Spot Rate	<50PPM
Operating Temperature	-10°C~40°C	Bead Thrust	>1.8kg
Operating Humidity	10%~65%RH	Flatness	<0.4mm



#### Googol Display Technology Co., Ltd

+8615766165492

jimmy.wenmy@gmail.com

© googolled.com

2nd Floor, Building A, Area 1, Ganghuaxing Industrial Park, No. 2 Chongqing Road, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen