


Heat Dissipation Outdoor Rental LED Display For Permanent Installations

Our Product Introduction

for more products please visit us on googolled.com


Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Googol
- Certification: CE, FAD, ROHS
- Model Number: P1.5 P1.9 P2.6 P2.9 P3.9





Product Specification

- Module Size (mm): 250*250*15mm
- Cabinet Size(mm): 500*500*/500*1000*80mm
- Cabinet Weight (kg): 6.5kg / 12kg
- Install Method: Stack/Hanging/Mounted/Ground
- Maintenance: Front/Rear
- Working Humidity: -20~ +45
- Highlight: Heat Dissipation Outdoor Rental LED Display, P1.5 Outdoor Rental LED Display, P1.9 led outdoor screen rental



More Images



Product Description

RENTAL DISPLAY H-PRO (curve lock)

Size:500mm*500mm*80mm Weight: Indoor / Outdoor 6.5 kgs /7.5 kgs

Product Advantag: Supports +10° angle adjustment. Hexagonal curve lock design, precise positioning and adjust the required angle at one time Multiple splicing options, seam <0.05mm

Waterproof and dustproof. Front maintenance of outdoor modules, convenient maintenance

Left & right module interchangeable.

Each model of rental cabinet has a unified HUB board, making product upgrades and interchange more convenient High precision, protection level IP65

High brightness, high refresh rate, high contrast. Remarkable performance.

Tech Parameters:

Product parameters					
Indoor					
Product Model	H-PRO P1.5	H-PRO P1.9	H-PRO P2.6	H-PRO P2.9	H-PRO P3.9
Pixel Pitch	1.5625mm	1.95mm	2.604mm	2.97mm	3.91mm
Density (dots/m ²)	409,600	262,144	147,456	112,896	65,536
Led Lamp	SMD1212	SMD1515	SMD1515	SMD1515	SMD2020
Module Pixel	160*160	128*128	96*96	84*84	64*64
Cabinet Pixel	320*320	256*256	192*192	168*168	128*128
Module Size (mm)	250*250*15mm				
Cabinet Size(mm)	500*500*/500*1000*80mm				
Cabinet Weight (kg)	6.5kg / 12kg				
Brightness(nits)/Scan	600-800(40s)	600-800(32s)	600-800(32s)	600-800(28s)	600-800(16s)
Max Power(w/m ²)	480w/m ²				

Install Method	Stack/Hanging/Mounted/Ground
Maintenance	Front/Rear
Power Input	100-240v AC 50-60Hz
Working Humidity	-20~ +45
Refresh Rate(Hz)	3,840Hz
IP Rating	IP35
Signal Input	S-video/VGA/DVI/HDMI/SDI











Shenzhen Googol Display Technology Co., Ltd



+8615766165492



jimmy.wenmy@gmail.com



googolled.com

2nd Floor, Building A, Area 1, Ganghuaxing Industrial Park, No. 2 Chongqing Road, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen