

H-PRO 90 Deg Outdoor Rental LED Display High Definition Performance 30 Titles

Our Product Introduction

for more products please visit us on googolled.com


Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Googol
- Certification: CE, FAD, ROHS
- Model Number: P2.6 P2.9 P3.9 P4.8




Product Specification

- Module Size (mm): 250*250*15mm
- Cabinet Size(mm): 500*500*/500*1000*80mm
- Cabinet Weight (kg): 7.5kg / 14kg
- Install Method: Stack/Hanging/Mounted/Ground
- Maintenance: Front/Rear
- Power Input: 100-240v AC 50-60Hz
- Highlight: **H-PRO Outdoor Rental LED Display, 90 Deg Outdoor Rental LED Display, P2.6 outdoor video wall rental**



More Images



Product Description

RENTAL DISPLAY H-PRO (90°)

Size: 500mm*500mm*80mm

Weight: Indoor / Outdoor 6.5 kgs / 7.5 kgs

Product Advantage:

Supports 90° splicing (bevel edge)

Multiple splicing options, seam <0.05mm

Waterproof and dustproof. Front maintenance of outdoor modules, convenient maintenance.

Left & right module interchangeable.


Each model of rental cabinet has a unified HUB board, making product upgrades and interchange more convenient.


High precision, Protection level outdoor IP65, indoor IP35 High brightness, high refresh rate, high contrast. Remarkable performance.

Tech Parameters:

Product parameters				
Outdoor				
Product Model	H-PRO 2.6	H-PRO 2.9	H-PRO 3.9	H-PRO 4.8
Pixel Pitch	2.604mm	2.97mm	3.91mm	4.81mm
Density (dots/m2)	147,456	409,600	147,456	112,896
Led Lamp	SMD1415	SMD1415	SMD1921	SMD1921
Module Pixel	96*96	84*84	64*64	52*52
Cabinet Pixel	192*192	168*168	128*128	104*104
Module Size (mm)	250*250*15mm			
Cabinet Size(mm)	500*500*/500*1000*80mm			
Cabinet Weight (kg)	7.5kg / 14kg			
Brightness(nits) /Scan	3500(28s)	4000-4500(21s)	3800(16s)/5000(8s)	3800(13s)/5000(7s)

Max Power(w/m2)	480/190	650/245	(550/185) / (730/245)	(550/185) / (730/245)
Install Method	Stack/Hanging/Mounted/Ground			
Maintenance	Front/Rear			
Power Input	100-240v AC 50-60Hz			
Working Humidity	-20~45°C			
Refresh Rate(Hz)	3840Hz			
IP Rating	IP65			
Signal Input	S-video/VGA/DVI/HDMI/SDI			





Shenzhen Googol Display Technology Co., Ltd



+8615766165492



jimmy.wenmy@gmail.com



googolled.com

2nd Floor, Building A, Area 1, Ganghuaxing Industrial Park, No. 2 Chongqing Road, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen