

## Waterproof Outdoor LED Display Rental Interchangeable Modules And Easy Upgrade

Our Product Introduction

for more products please visit us on [googolled.com](http://googolled.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Googol
- Certification: CE, FAD, ROHS
- Model Number: P2.97 P3.9 P4.8



### Product Specification

- Module Size (mm): 250\*250\*15mm
- Cabinet Size(mm): 500\*500 / 500\*1000\*90mm
- Install Method: Stack/Hanging/Mounted/Ground
- Maintenance: Front
- Power Input: AC220V±10%
- Working Humidity: 10°C ~ 40°C
- Highlight: **Waterproof outdoor led display rental, P2.97 outdoor led display rental, P4.8 outdoor led screen for rent**



### More Images



## Product Description

### RENTAL DISPLAY SUNSHINE SERIES



Size:500mm\*500mm/500mm\*1000mm\*90mm Weight: Indoor/Outdoor 6.5 kgs / 8.5 kgs

Indoor with front & back maintenance, Outdoor with back maintenance door left & right module interchangeable.

High precision, multiple splicing options, seam <0.05mm. Waterproof and dustproof, protection level IP65. High brightness, high refresh rate, high contrast. Remarkable performance. Supports 0~90° angle adjustment, supports 90° splicing (bevel edge). Each model of rental cabinet has a unified HUB board, making product upgrades and interchange more convenient. The large-angle curve lock supports +15° and is suitable for smaller pixel pitch.

#### Tech Parameter:

Outdoor			
Product Model	P2.97	P3.9	P4.8
Pixel Pitch	2.976mm	3.91mm	4.81mm
Density (dots/m2)	112,896	65,536	43,264
Led Lamp	SMD1415	SMD1921	SDM1921
Module Pixel	84*84	64*64	52*52
Cabinet Pixel	168*168	128*128	104*104
Module Size (mm)	250*250*15mm		
Cabinet Size(mm)	500*500 / 500*1000*90mm		
Brightness(nits)/Scan	3500(28s)	4000-4500(21s)	3800(16s)/5000(8s)
Max Power(w/m2)	160/130 w/m <sup>2</sup>	160/130 w/m <sup>2</sup>	160/130 w/m <sup>2</sup>
Install Method	Stack/Hanging/Mounted/Ground		
Maintenance	Front		
Power Input	AC220V±10%		
Working Humidity	10℃ ~ 40℃		
Refresh Rate(Hz)	≥3,840Hz		
IP Rating	IP65		
Signal Input	AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI		





**Shenzhen Googol Display Technology Co., Ltd**



+8615766165492



jimmy.wenmy@gmail.com



googolled.com

2nd Floor, Building A, Area 1, Ganghuaxing Industrial Park, No. 2 Chongqing Road, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen